OWA (UK) Ltd.
Registered Office: Castle Hill House,
12 Castle Hill, Windsor, Berkshire, SL4 1PD
T: +44(0)1753 552 489
W: www.owa-ceilings.co.uk

Legal form: OWA (UK) Ltd.
Registered in England No. 01675130
Headquarters: Amorbach, Germany
VAT no. DE 132096747

UKCA 22 NB 0672, NB-0761	**Declaration of Performance**

Manufacturer	OWA (UK) Ltd. Registered Office: Castle Hill House, 12 Castle Hill, Windsor, Berkshire, SL4 1PD

Product Type	Mineral tiles
Intended Use	Suspended ceiling membrane component for internal use

Products within the scope of this Declaration		
Product Description	**Collection**	**Material Thickness**
See Annex 1	OWAcoustic	14 - 20 mm nom.

Declared Performance according to BS EN 13964:2014		
Characteristic	**Clause**	**Performance**
Bond strength/ adhesion	4.3.4	NPD
Reaction to Fire	4.4.2.1	Euro class A2-s1,d0 in accordance with BS EN 13501-1:2019
Asbestos	4.5.1	No content
Formaldehyde	4.5.2	E1
Dangerous substances	4.5.3	no release
Susceptibility to the growth of harmful micro-organisms (Dampness, Thermal insulation)	4.5.4	NPD

Shatter properties	4.6.1	NPD
Flexural Tensile Strength	4.6.2	Annex 1
Sound Absorption	4.7.2	Annex 1
Durability	4.8	C
Thermal conductivity	4.10	NPD

Systems of Attestation of Conformity	
Attestation of Conformity	**System**
Acoustics	AoC Level 4
Reaction to Fire	AoC Level 1
Flexural Tensile Strength	AoC Level 3

The performance of the product(s) identified is in conformity with the declared performance in the *"Declared performance"* table and meets the requirements of the harmonized standard BS EN 13964. This declaration of performance is issued under the sole responsibility of the manufacturer identified in this declaration.

Name and Function Simon Humphrey Technical Manager | BEng (Hons) Signed in the premises of OWA (UK) Ltd. Castle Hill House, 12 Castle Hill, Windsor, Berkshire, SL4 1PD	
Date of issue	15.07.2026

Annex 1

OWAcoustic premium fleece-covered tiles	α_w-value	Flexural tensile strength N/m²
Brillianto100	1,00	C/413
Ocean	0,95	C/556
Humancare Lab	0,70	C/556
Humancare Plus	0,90	C/556
Humancare Pro	0,95	C/556
Humancare | Sinfonia	0,90	C/413
Humancare | Sinfonia c	0,70	C/413
Humancare | Sinfonia Silencia	1,00	C/556
OWAcolor	0,95	C/413
Sinfonia (15mm)	0,90	C/413
Sinfonia Balance 25	0,80	C/556
Sinfonia c	0,70	C/413
Sinfonia Humancare	0,85	C/413
Sinfonia Privacy	0,70	C/556
Sinfonia Reflecta	0,15	C/413
Sinfonia Silencia	1,00	C/556
Sinfonia RAL / Pantone / NCS	0,90	C/413
Sinfonia grau / grey / gris	0,90	C/413
Sinfonia schwarz / black / noir	0,85	C/413
Sinfonia schwarz matt / matt black / noir mat	0,90	C/413

OWAcoustic premium classic mineral tiles	α_w-value	Flexural tensile strength N/m²
Cosmos/N	0,65	C/199
Harmony	0,60	C/199
Janus Cosmos/N	0,60	C/199
Janus Constellation	0,65	C/199
NEW Sandila/N	0,60	C/199
NEW Sandila/O	0,15	C/199
Constellation	0,80	C/199
Sanitas 02 I Plain	0,15	C/199
Mavroc I Constellation	0,70	C/199
Mezz Pro	0,55	C/199
Barriere B | Sternbild	0,50	NPD

OWAcoustic smart	α_w-value	Flexural tensile strength N/m²
Finetta	0,60	C/199
NEW Sandila/N	0,55	C/199
NEW Sandila/NRC	0,65	C/199
NEW Sandila/O	0,15	C/199
Constellation	0,60	C/199